REVISIONS			
REV	DESCRIPTION	DATE	APPROVED





Amphenol PT02E12-10P plug

A	GND
B	V+
C	CAN_H
D	CAN_L
E	H_PWR+
F	H_PWR+
G	H +
H	H -
J	S +
K	S -







Technical information:
1. Protection rating: IP67;
2. Operating temperature: from -40 to +60°C;
3. Power supply: from 5 to 36VDC;
4. Power consumption max: 0.85W/6VDC;

This drawing and any information or descriptive material set out on it are the confidential and copyright property of **UAVOS ©** and MUST NOT BE DISCLOSED, COPIED, LOANED in whole or part or used for any purpose without the written permission of **UAVOS.**

NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED
DIM ARE IN MILLIMETERS
[DIM ARE IN INCHES]
TOL ON ANGLES **±0.5°**
0 PLACE **±0.5** 1 PLACE **±0.1**
INTERPRET DIM AND TOL
PER **ASME Y14.5M**
Surface Finish: **Ra3.2**

THIRD ANGLE PROJECTION

DRAFTER		
CHECKER		
DEV ENGR		

CONTRACT NO.
UAVOS FUNDED

MATERIAL

UAVOS

UAVOS

TITLE
Data Processing Unit of Pitot Tube (DPU-PT)

SIZE	CAGE CODE	DRAWING NUMBER	REV
A2		UV01.431329.100.320.00	10

SCALE	WEIGHT KG	SHEET
1:1	0.234	1 OF 1